

# BLANC

Quality Needs No Name

## TLX295A

### Sirius 295W Beam Light

90,000 LUMENS

295W PHOENIX LAMP

8-54° ZOOM

14-COLOUR WHEEL

IP20 PROTECTION

0-100% DIM & STROBE

PAN 540° / TILT 270°



## FEATURES

---

The **BLANC TLX295** delivers exceptional beam performance with its original Phoenix 13R 295W discharge lamp, producing up to **90,000 lumens** and **3,000,000 candela** of bright, focused light. Its wide **8–54° zoom range** and dynamic optical effects—featuring a **14-color wheel**, **18-gobo patterns**, and **multi-facet dual-rotation prisms** to make it ideal for high-impact stage lighting and visual shows.

Designed for professional use, it supports **DMX512 with RDM**, **master/slave**, **sound-activated**, and **auto modes**, giving flexible control for live events and productions. With **smooth 0–100% dimming**, **powerful strobe effects**, and wide movement capability (Pan 540° / Tilt 270°), this beam moving head combines reliability, precision, and creative lighting versatility.

## SPECIFICATIONS

---

Voltage	AC 100-240V/50-60Hz
Power Consumption	550W
Light Source	Original Phoenix 13R 295W lamp
Color Temperature	12000K
Luminous Output	90,000 lumens
Fixed Luminous Output	46,500 lumens
Maximum Luminous Intensity	3,000,000cd
Lamp life	10,000 hours
Optics	145mm diameter
Zoom Range	1:7 (field angle 8.0° – 54°)
Pan & Tilt	Pan 540°, Tilt 270°
Control Mode	DMX512/master-slave/sound/automatic/integrated RDM program
Control Channel	16CH/22CH
IP Protection Level	IP20, special materials at high temperature

## HIGH RESOLUTION PROJECTION SYSTEM

Color Palette	1 palette of 6 colors
Color Wheel	14 colors + open mode, half color
Gobo Wheel	18 gobos + open, with jitter function, water flow effect
Prism	16-sided prism, 16+16 prism, with two-way rotation function.
Focus	Effective 6-layer all-film focusing lens
Atomization	0-100%
Dimmer	Linear dimming 0-100%
Lifespan	30,000 hours
Flashing	Double chip flash, variable flashing effect (0-15t/s)

## DIMENSION/WEIGHT

Product Dimensions (LxWxH)	330x260x520mm
Net Weight	14.3Kg

# PRODUCT PARAMETER

---

## 01. OSRAM BULB

High brightness, long service life, stable color temperature, good brightness and chromaticity uniformity



## 02. FULL RATE POWER SUPPLY

Wide voltage power supply, large capacitors and thick copper wires used internationally, with higher brightness and good current stability

## 03. DOUBLE PRISM STRUCTURE

Adopt honeycomb prism + 16 wide-angle prism (double prism can be superimposed and can be rotated independently in both directions)



## 04. SMART TOUCH MOTHERBOARD

High-end touch screen, with advanced settings can be set according to needs

## 05. THREE-PHASE MOTOR

Ultra-high-speed and ultra-quiet, import high-power motors, longer machine life



# PRODUCT PARAMETER

---

## LIGHT EFFECT



# PRODUCT PARAMETER




---

## LIGHT EFFECT

COLORFUL PRISM EFFECT



GOBO EFFECT



# PRODUCT PARAMETER

---

## BEAM EFFECT



# APPLICATION SCENARIOS

---

